

ATTIX 30, 40 & 50

# Easy handling and easy maintenance





The ergonomic and sturdy grip allows one hand cable rewinding and cable storage.

Improved accessory storage, tool deposit and container volume.



The perfect solution for professionals on the move  
The ATTIX 30 is the compact generation of the ATTIX range - representing the possibility of achieving superior suction power in a durable and flexible solution.

With the freedom to choose, you can have the vacuums with different filter cleaning technologies; the Push&Clean system or the new generation of the fully automatic XtremeClean.

AutoOnOff socket (-21 models) makes it possible to adopt electrical power tools and the MultiFit accessory system gives the ultimate flexibility for different tasks.

Constant high suction performance  
Push&Clean technology for fast and simple filter cleaning. If you are working with fine dust, you are surely familiar with the dreaded task of cleaning clogged filter cartridges to restore normal suction performance.

With Push&Clean, all you have to do to clean the filter, is block the inlet fitting or the hose, and push and release the filter cleaning button. Powerful air pulses will clean the filter gently. The dirt is blasted off the filter and the suction performance is high again - you are back to work in no time.

A comfortable and powerful but gentle way of cleaning the filter.

# ATTIX 30

## - superior suction power in a compact and flexible solution

ATTIX 30 series represent our compact and powerful range of all purpose Wet&Dry vacuum cleaners - a perfect solution for craftsmen on the move. The ergonomic design and low noise level emphasise our focus on real user benefits and longer working time.



### TECHNICAL SPECIFICATIONS

Description	ATTIX 30-01	ATTIX 30-01 PC	ATTIX 30-11 PC	ATTIX 30-21 PC	ATTIX 30-21 XC
Item no.	107413590	107413591	107413592	107407544	107403508
Air Flow Rate (l/min)	3700	3700	3700	3700	3700
Vacuum (mbar/kPa)	250/25	250/25	250/25	250/25	250/25
Power pmax (W)	1500	1500	1500	1500	1500
Power piec (W)	1200	1200	1200	1200	1200
Working sound level (dB(A))	59	59	59	59	59
Container volume (l-max)	30	30	30	30	30
Mains connection (V/~ /Hz/A)	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16
Length x width x height (cm)	450 x 380 x 595	450 x 380 x 595	450 x 380 x 595	450 x 380 x 595	450 x 380 x 595
Weight (kg)	10	10	10	10	11
El cable (m)	7.5	7.5	7.5	7.5	7.5
Main filter type	PET	PET	PET	PET	PET Nano
Filter cleaning system		Push&Clean	Push&Clean	Push&Clean	XtremeClean
<b>Features:</b>					
Softstart			•	•	•
Anti-static system			•	•	•
Motor speed control				•	•
Automatic On/Off-elec. tools				•	•
Extra socket for tool			•	•	•
Disposal bag 1 pcs					•
Fleece filter bag 1 pcs	•	•	•	•	
<b>Standard equipment:</b>					
Uni. hose Ø36x4000mm EVA					25537
Uni. hose with hand tube Ø32x3000				302000473	
Uni. hose with hand tube Ø32x3500 CPL.	107409976	107409976	107409976		
Curved hand tube Ø36mm ST/CR					302000528
Extension tube Ø36 2x500mm ALU	107400032	107400032	107400032		
Extension tube Ø36 2x505mm ST/CR				302000529	302000529
Tool adapter Ø27/35/38				60916	
Tool adapter Ø27 QuickSystem					302000535
Tool adapter with suction regulation Ø32			107409977		
Floor nozzle Ø36 W/D -KIT	107402706	107402706	107402706		
Industrial floor nozzle Ø36x400mm w/brush				302003666	302003666
Universal nozzle Ø36x115			14295		
Crevice nozzle Ø36x300 PP	6084	6084	6084	6084	6084
Filter element Ø185x140 PET M-CLASS	302000490	302000490	302000490	302000490	
Flat filter PET Nano M-CLASS SET 2 PCS					302002842





The design lets you have your accessories on hand in a secure way.

Tube storage, with hook and clip secures a good fit to the machine.

The perfect solution for everyone who needs a high quality compact industrial vacuum cleaner!

To extend the ATTIX range, we have introduced the ATTIX 40 INOX with high quality stainless steel container.

This machine is of course available with all features you are familiar with from the existing ATTIX range, like Push&Clean and XtremeClean filter cleaning systems,

AutoOnOff socket for electrical power tools (-21 models), SoftStart and MultiFit for all accessories.

ATTIX 40 INOX represents the possibility of achieving superior suction power in a compact and flexible solution with an easy to clean stainless steel container.

The perfect solution when high performance combined with moist and robustness is required.



# ATTIX 40 INOX

## - robust stainless steel container to complete the range

ATTIX 40 is the ideal Wet&Dry vacuum cleaner, if you need high performance in combination with a compact quality stainless steel container. The robust and easy to clean stainless steel container and the high suction power makes ATTIX 40 the perfect solution for commercial and industrial use.



### TECHNICAL SPECIFICATIONS

Description	ATTIX 40-01 PC INOX	ATTIX 40-21 PC INOX	ATTIX 40-21 XC INOX
Item no.	107413593	302003415	107403512
Air Flow Rate (l/min)	3700	3700	3700
Vacuum (mbar/kPa)	250/25	250/25	250/25
Power pmax (W)	1500	1500	1500
Power piec (W)	1200	1200	1200
Working sound level (dB(A))	59	59	59
Container volume (l-max)	37	37	37
Mains connection (V/~ /Hz/A)	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16
Length x width x height (mm)	450 x 440 x 735	450 x 440 x 735	450 x 440 x 735
Weight (kg)	13	14	14
El cable (m)	7.5	7.5	7.5
Main filter type	PET	PET	PET Nano
Filter cleaning system	Push&Clean	Push&Clean	XtremeClean
<b>Features:</b>			
Softstart	•	•	•
Anti-static system	•	•	•
Motor speed control		•	•
Automatic On/Off-elec. tools		•	•
Extra socket for tool		•	•
Disposal bag 1 pcs			•
Fleece filter bag 1 pcs	•	•	
<b>Standard equipment:</b>			
Uni. hose Ø36x3000mm w/coupling EVA	46948		
Hose Ø36x5000mm AS w/coupling		302001682	302001682
Curved hand tube Ø36mm SS	46691		46691
Extension tube Ø36 2x505mm SS	107408074		107408074
Tool adapter Ø27 QuickSystem		302000535	302000535
Industrial floor nozzle Ø36x400mm w/brush	302003666		302003666
Crevice nozzle Ø36x300 PP	6084		6084
Filter element Ø185x140 PET M-CLASS	302000490	302000490	
Flat filter PET Nano M-CLASS SET 2 PCS			302002842



When you need container volume!

ATTIX 50 is the solution for the demanding customer with a high frequency of cleaning. More user-friendly operation and functional design ensures better performance, in short all the elements that are needed for even more reliability and efficiency - here you have a market leading Wet&Dry solution!

The ATTIX 50 range gives you the possibility to choose between XtremaClean filter cleaning system and the Push&Clean filter cleaning system, AutoOnOff socket for electrical power tools (-21 models), anti-static capability, SoftStart and MultiFit for all accessories.

XtremaClean is extremely efficient and completely automatic

Compactness and high performance are key features in the most recent generation of the XtremaClean system, used on the ATTIX 30, 40 and 50 range.

With the ambition of setting new standards, the two curved flat filters with nano technology maximise the container volume and improve the efficiency even more.

A servo motor controlled Y-FLAP ensures precise reversed air flow and prevents power loss during operation. Start the vacuum - the filter is immediately cleaned automatically and every 20 seconds while you work!

There is no need to interrupt your work to clean the filter. You concentrate on your task, and XtremaClean will take care of the filter cleaning.



# ATTIX 50

## - superior suction power and innovative features



### TECHNICAL SPECIFICATIONS

Description	ATTIX 50-01 PC	ATTIX 50-21 PC	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC EC	ATTIX 50-21 XC
Item no.	302003411	107407545	107400412	107400411	107403510
Air Flow Rate (l/min)	3700	3700	3200	3200	3700
Vacuum (mbar/kPa)	250/25	250/25	230/23	230/23	250/25
Power p <sub>max</sub> (W)	1500	1500	1400	1400	1500
Power piec (W)	1200	1200	1100	1100	1200
Working sound level (dB(A))	59	59	60	60	59
Container volume (l-max)	47	47	47	47	47
Mains connection (V/~ /Hz/A)	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16
Length x width x height (mm)	450 x 380 x 750	450 x 380 x 750	450 x 380 x 750	450 x 380 x 750	450 x 380 x 750
Weight (kg)	11	11	11	11	12
El cable (m)	7.5	7.5	7.5	7.5	7.5
Main filter type	PET	PET	HEPA	PET	PET Nano
Filter cleaning system	Push&Clean	Push&Clean	Push&Clean	Push&Clean	XtremeClean
<b>Features:</b>					
Softstart	•	•	•	•	•
Anti-static system	•	•	•	•	•
Motor speed control		•	•	•	•
Automatic On/Off-elec. tools		•	•	•	•
Brushless longlife 1-ph. motor			•	•	
Disposal bag 1 pcs					•
Fleece filter bag 1 pcs	•	•	•	•	
<b>Standard equipment:</b>					
Uni. hose Ø36x4000mm EVA					25537
Hose Ø36x5000mm AS w/coupling	46948				
Hose Ø36x5000mm AS w/coupling		302001682	302001682	302001682	
Curved hand tube Ø36mm ST/CR	302000528	302000528			302000528
Extension tube Ø36 2x505mm ST/CR	302000529	302000529			302000529
Tool adapter Ø27 QuickSystem		302000535	302000535	302000535	302000535
Industrial floor nozzle Ø36x400mm w/brush	302003666	302003666			302003666
Crevice nozzle Ø36x300 PP	6084	6084			6084
Filter element Ø185x140 PET M-CLASS	302000490	302000490		302000490	
Flat filter PET Nano M-CLASS SET 2 PCS					302002842
Filter element Ø211x140 H-CLASS			302000658		
Motor cooling filter kit			302003721		
Exhaust air collector			302003717		



**Nilfisk Ltd**

Nilfisk House · Bowerbank Way · Gilwilly Industrial Estate · Penrith · Cumbria · CA11 9BQ

Tel: 01768 868995 (UK) · 01 2943838 (IE)

Email: [mail.uk@nilfisk.com](mailto:mail.uk@nilfisk.com) (UK) · [info.ie@nilfisk.com](mailto:info.ie@nilfisk.com) (IE)

[www.nilfisk.co.uk](http://www.nilfisk.co.uk) · [www.nilfisk.ie](http://www.nilfisk.ie)

