

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
 Product name : KLENZKLOR TABS  
 Product code : M-KKTABS  
 Product group : Klenzan Product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Cleaning product

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Christeyns Food Hygiene Ltd.  
 2 Cameron Court, Winwick Quay  
 WA2 8RE Warrington - United Kingdom  
 T 01925 234696 - F 01925 234693  
[UK-foodinfo@christeyns.com](mailto:UK-foodinfo@christeyns.com) - [www.christeynsfoodhygiene.co.uk](http://www.christeynsfoodhygiene.co.uk)

#### 1.4. Emergency telephone number

Emergency number : 01925 234696 (09:00-17:00 GMT)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302  
 Serious eye damage/eye irritation, Category 2 H319  
 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H335  
 Hazardous to the aquatic environment — Acute Hazard, Category 1 H400  
 Hazardous to the aquatic environment — Chronic Hazard, Category 1 H410

Full text of H statements : see section 16

##### Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes serious eye irritation. May cause respiratory irritation. Very toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) : Warning  
 Hazardous ingredients : Sodium Dichloroisocyanurate  
 Hazard statements (CLP) : H302 - Harmful if swallowed.  
 H319 - Causes serious eye irritation.

# KLENZKLOR TABS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	H335 - May cause respiratory irritation. H410 - Very toxic to aquatic life with long lasting effects. : P273 - Avoid release to the environment. P280 - Wear protective gloves, protective clothing, face protection, eye protection. P337+P313 - If eye irritation persists: Get medical advice/attention. P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
EUH-statements	: EUH031 - Contact with acids liberates toxic gas.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium Dichloroisocyanurate	(CAS-No.) 2893-78-9 (EC-No.) 220-767-7 (EC Index-No.) 613-030-00-X	30 - 65	E; R2 O; R8 Xn; R22 Xi; R36/37 N; R50/53 R31	Ox. Sol. 2, H272 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Adipic Acid	(CAS-No.) 124-04-9 (EC-No.) 204-673-3 (EC Index-No.) 607-144-00-9	15 - 30	Xi; R36	Eye Irrit. 2, H319

#### Specific concentration limits:

Name	Product identifier	Specific concentration limits: DSD/DPD	Specific concentration limits: CLP
Sodium Dichloroisocyanurate	(CAS-No.) 2893-78-9 (EC-No.) 220-767-7 (EC Index-No.) 613-030-00-X	(C >= 10) R31 (C >= 10) Xi;R36/37 (C >= 10) Xn;R22	(C >= 10) STOT SE 3, H335

Full text of R- and H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration as needed. Obtain emergency medical attention.
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. If skin irritation or rash occurs Get medical advice/attention.
First-aid measures after eye contact	: Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Obtain emergency medical attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink directly plenty of water or milk. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes serious eye irritation. Corrosion or irritation of the linings of the mouth, throat, and gastrointestinal tract. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.
------------------	--

### 4.3. Indication of any immediate medical attention and special treatment needed

Prompt action is critical.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO <sub>2</sub> ). Use extinguishing media appropriate for surrounding fire.
------------------------------	---

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Not flammable. Oxidising agent.
Reactivity in case of fire	: If the product is involved in a fire, it can release toxic chlorine gases.

# KLENZKLOR TABS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Prevent fire fighting water from entering the environment.
- Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Wear recommended personal protective equipment.

#### 6.1.1. For non-emergency personnel

- Protective equipment : Avoid any direct contact with the product. Use personal protective equipment as required.
- Emergency procedures : Evacuate unnecessary personnel. Only qualified personnel equipped with suitable protective equipment may intervene.

#### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

- For containment : Stop leak if safe to do so. Contain and collect spillages with non-combustible absorbent materials.
- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. This material and its container must be disposed of in a safe way, and as per local legislation. Wash contaminated area with large amounts of water.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Do not mix with other products.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep only in the original container in a cool, well ventilated place. Protect from heat and direct sunlight.
- Incompatible products : Acids. Oxidising substances. Reducing agents. EDTA and salts thereof.
- Incompatible materials : Aluminium. Zinc. Base metals and alloys.

### 7.3. Specific end use(s)

Cleaning product.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

#### Appropriate engineering controls:

Good ventilation of the workplace required.

#### Hand protection:

Protective gloves

#### Eye protection:

In case of dust production: protective goggles. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure

#### Skin and body protection:

Light protective clothing

#### Respiratory protection:

Not required for normal conditions of use. In case of insufficient ventilation, wear suitable respiratory equipment

# KLENZKLOR TABS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Tablets.
Colour	: White.
Odour	: Slight. Chlorine.
Odour threshold	: No data available
pH	: 5 - 5.5 , 1% v/v
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Soluble in water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Reacts violently with acids release of toxic and corrosive gases/vapours chlorine.

#### 10.2. Chemical stability

Decomposes slowly.

#### 10.3. Possibility of hazardous reactions

Contact with acids liberates very toxic gas.

#### 10.4. Conditions to avoid

Direct sunlight. High temperatures.

#### 10.5. Incompatible materials

Aluminium. Zinc. Base metals and alloys. Acids. Oxidising substances. Reducing agents.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Oral: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

ATE CLP (oral)	1183.077 mg/kg bodyweight
----------------	---------------------------

<b>Sodium Dichloroisocyanurate (2893-78-9)</b>	
LD50 oral rat	769 mg/kg

Skin corrosion/irritation	: Not classified
	pH: 5 - 5.5 , 1% v/v

# KLENZKLOR TABS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Serious eye damage/irritation	: Causes serious eye irritation. pH: 5 - 5.5 , 1% v/v
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

### SECTION 12: Ecological information

#### 12.1. Toxicity

Acute aquatic toxicity	: Very toxic to aquatic life.
Chronic aquatic toxicity	: Very toxic to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

##### KLENZKLOR TABS

Results of PBT assessment	The product does not meet the PBT and vPvB classification criteria
---------------------------	--

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
--	---

### SECTION 14: Transport information

In accordance with ADR / IMDG

ADR	IMDG
<b>14.1. UN number</b> 2465	2465
<b>14.2. UN proper shipping name</b> DICHLOROISOCYANURIC ACID SALTS	DICHLOROISOCYANURIC ACID, SALTS
<b>Transport document description</b> UN 2465 DICHLOROISOCYANURIC ACID SALTS, 5.1, II, (E), ENVIRONMENTALLY HAZARDOUS	UN 2465 DICHLOROISOCYANURIC ACID, SALTS, 5.1, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
<b>14.3. Transport hazard class(es)</b> 5.1	5.1
	
<b>14.4. Packing group</b> II	II
<b>14.5. Environmental hazards</b> Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes
No supplementary information available	

# KLENZKLOR TABS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR)	: O2
Special provisions (ADR)	: 135
Limited quantities (ADR)	: 1kg
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P002, IBC08
Special packing provisions (ADR)	: B4
Mixed packing provisions (ADR)	: MP10
Portable tank and bulk container instructions (ADR)	: T3
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAN
Tank special provisions (ADR)	: TU3
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V11
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV24
Hazard identification number (Kemler No.)	: 50
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 1W

#### - Transport by sea

Special provisions (IMDG)	: 135
Limited quantities (IMDG)	: 1 kg
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P002
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B2, B4
Tank instructions (IMDG)	: T3
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-Q
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: White crystalline powder or granules; slightly hygroscopic. Partially soluble in water. Mixtures with combustible material are sensitive to friction and are liable to ignite. Harmful by inhalation. ?Irritating to skin, eyes and mucous membranes.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions  
Contains no substance on the REACH candidate list  
Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

##### Germany

# KLENZKLOR TABS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Reference to AwSV : Water hazard class (WGK) 2, significant hazard to waters (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

### Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of R-, H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Sol. 2	Oxidising Solids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH031	Contact with acids liberates toxic gas.

REACH 22112017

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*