



Brightwash VB14

Revision: 2023-02-05

Version: 16.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Brightwash VB14

UFI: J264-K08F-M00N-UK9H

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use:	Cleaning in place chemical. Bottle wash. For industrial use only..
Uses advised against:	Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_IS_8b_1
AISE_SWED_IS_4_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd
Weston Favell Centre, Northampton NN3 8PD, United Kingdom
Tel: 01604 405311, Fax: 01604 406809
Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)
For medical or environmental emergency only:
call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

STOT RE 2 (H373)
Skin Irrit. 2 (H315)
Eye Dam. 1 (H318)
Met. Corr. 1 (H290)

2.2 Label elements



Signal word: Danger.

Contains tetrasodium ethylene diamine tetraacetate (Tetrasodium EDTA)

Hazard statements:

H290 - May be corrosive to metals.
H315 - Causes skin irritation.
H318 - Causes serious eye damage.
H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary statements:

P280 - Wear eye or face protection.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Brightwash VB14

Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
tetrasodium ethylene diamine tetraacetate	200-573-9	64-02-8	01-2119486762-27	Acute Tox. 4 (H302) Acute Tox. 4 (H332) STOT RE 2 (H373) Eye Dam. 1 (H318)		30-50
sodium cumenesulphonate	239-854-6	15763-76-5	01-2119489411-37	Eye Irrit. 2 (H319)		1-3
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	[4]	120313-48-6	[4]	Skin Irrit. 2 (H315) Aquatic Acute 1 (H400) Aquatic Chronic 3 (H412)		1-3
sodium hydroxide	215-185-5	1310-73-2	01-2119457892-27	Skin Corr. 1A (H314) Met. Corr. 1 (H290)		0.1-1

Specific concentration limits

sodium hydroxide:

- Eye Dam. 1 (H318) >= 3% > Eye Irrit. 2 (H319) >= 0.5%
- Skin Corr. 1A (H314) >= 5% > Skin Corr. 1B (H314) >= 2% > Skin Irrit. 2 (H315) >= 0.5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures

4.1 Description of first aid measures

General Information:

Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident. If unconscious place in recovery position and seek medical advice. Get medical attention or advice if you feel unwell.

Inhalation:

Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:

No known effects or symptoms in normal use.

Skin contact:

Causes irritation.

Eye contact:

Causes severe or permanent damage.

Ingestion:

No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

Brightwash VB14

6.1 Personal precautions, protective equipment and emergency procedures

Wear eye/face protection. Repeated or prolonged contact: Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
sodium hydroxide		2 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values**Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
tetrasodium ethylene diamine tetraacetate	-	-	-	25
sodium cumenesulphonate	-	-	-	3.8
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available
sodium hydroxide	-	-	-	-

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
tetrasodium ethylene diamine tetraacetate	-	-	-	-
sodium cumenesulphonate	-	-	-	136.25
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available
sodium hydroxide	2 %	-	-	-

DNEL/DMEL dermal exposure - Consumer

Brightwash VB14

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
tetrasodium ethylene diamine tetraacetate	-	-	-	-
sodium cumenesulphonate	-	-	-	68.1
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available
sodium hydroxide	2 %	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
tetrasodium ethylene diamine tetraacetate	3	3	1.5	1.5
sodium cumenesulphonate	-	-	-	26.9
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available
sodium hydroxide	-	-	1	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
tetrasodium ethylene diamine tetraacetate	1.2	1.2	0.6	-
sodium cumenesulphonate	-	-	-	6.6
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available
sodium hydroxide	-	-	1	-

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
tetrasodium ethylene diamine tetraacetate	2.2	0.22	1.2	43
sodium cumenesulphonate	0.23	0.023	2.3	100
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available
sodium hydroxide	-	-	-	-

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
tetrasodium ethylene diamine tetraacetate	-	-	0.72	-
sodium cumenesulphonate	0.862	0.0862	0.037	-
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available
sodium hydroxide	-	-	-	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Automatic transfer and dilution	AISE_SWED_IS_8b_1	IS	PROC 8b	60	ERC4

Personal protective equipment

Eye / face protection:

Hand protection:

Safety glasses or goggles (EN 166).

Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

Repeated or prolonged contact: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Brightwash VB14

Body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 1.5

Appropriate engineering controls: Provide a good standard of general ventilation.
Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration (min)	ERC
Automatic application in a dedicated system	AISE_SWED_IS_4_1	IS	PROC 4	480	ERC8a

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.
Hand protection: No special requirements under normal use conditions.
Body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
Physical state: Liquid	
Colour: Clear , Pale , Yellow	
Odour: Product specific	
Odour threshold: Not applicable	
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
tetrasodium ethylene diamine tetraacetate	No data available	Non-experimental data	
sodium cumenesulphonate	No data available		
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	> 250	Method not given	
sodium hydroxide	> 990	Method not given	

	Method / remark
Flammability (solid, gas): Not applicable to liquids	
Flammability (liquid): Not flammable.	
Flash point (°C): > 100 °C	closed cup
Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)	
Lower and upper explosion limit/flammability limit (%): Not determined	

Substance data, flammability or explosive limits, if available:

	Method / remark
Autoignition temperature: Not determined	
Decomposition temperature: Not applicable.	
pH: >= 11.5 (neat)	ISO 4316
Kinematic viscosity: Not determined	
Solubility in / Miscibility with water: Fully miscible	

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
tetrasodium ethylene diamine tetraacetate	500	Method not given	20
sodium cumenesulphonate	493 Soluble	Method not given	20
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Insoluble		
sodium hydroxide	1000	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Vapour pressure: Not determined

Method / remark

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
tetrasodium ethylene diamine tetraacetate	0.0000000002	Read across	25
sodium cumenesulphonate	No data available		
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	< 10	Method not given	20
sodium hydroxide	< 1330	Method not given	20

Relative density: ≈ 1.28 (20 °C)

Relative vapour density: No data available.

Particle characteristics: No data available.

Method / remark

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

Corrosion to metals: Corrosive

9.2.2 Other safety characteristics

Alkali reserve: ≈ 2.9 (g NaOH / 100g; pH=10)

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

May be corrosive to metals.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

ATE - Inhalatory, mists (mg/l): 4.7

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
tetrasodium ethylene diamine tetraacetate	LD ₅₀	1780	Rat	OECD 401 (EU B.1)		1780
sodium cumenesulphonate	LD ₅₀	> 7000	Rat	Method not given		Not established
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	LD ₅₀	> 2000	Rat	Method not given		250000

Brightwash VB14

sodium hydroxide		No data available				Not established
------------------	--	-------------------	--	--	--	-----------------

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
tetrasodium ethylene diamine tetraacetate	LD ₅₀	> 5000	Rabbit	Method not given		Not established
sodium cumenesulphonate	LD ₅₀	> 2000	Rabbit	Method not given		Not established
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				Not established
sodium hydroxide	LD ₅₀	1350	Rabbit	Method not given		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
tetrasodium ethylene diamine tetraacetate	LC ₅₀	≥ 1-5 (dust)	Rat	OECD 403 (EU B.2)	6
sodium cumenesulphonate	LC ₅₀	> 5 (mist) No mortality observed	Rat	Read across	3.87
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available			
sodium hydroxide		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
tetrasodium ethylene diamine tetraacetate	Not established	1.8	Not established	Not established
sodium cumenesulphonate	Not established	Not established	Not established	Not established
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Not established	Not established	Not established	Not established
sodium hydroxide	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
tetrasodium ethylene diamine tetraacetate	Not irritant	Rabbit	OECD 404 (EU B.4)	
sodium cumenesulphonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Irritant	Rabbit	Draize test	
sodium hydroxide	Corrosive	Rabbit	Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
tetrasodium ethylene diamine tetraacetate	Severe damage		Method not given	
sodium cumenesulphonate	Irritant	Rabbit	OECD 405 (EU B.5)	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Not corrosive or irritant	Rabbit	Draize test	
sodium hydroxide	Corrosive	Rabbit	Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
tetrasodium ethylene diamine tetraacetate	No data available			
sodium cumenesulphonate	No data available			
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			
sodium hydroxide	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
tetrasodium ethylene diamine tetraacetate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
sodium cumenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			
sodium hydroxide	Not sensitising		Human repeated patch test	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
tetrasodium ethylene diamine tetraacetate	No data available			
sodium cumenesulphonate	No data available			

Brightwash VB14

Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			
sodium hydroxide	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
tetrasodium ethylene diamine tetraacetate	No evidence for mutagenicity, negative test results	Method not given	No evidence of genotoxicity, negative test results	Method not given
sodium cumenesulphonate	No evidence for mutagenicity, negative test results	Method not given	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available		No data available	
sodium hydroxide	No evidence for mutagenicity, negative test results	DNA repair test on rat hepatocytes OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12) OECD 475 (EU B.11)

Carcinogenicity

Ingredient(s)	Effect
tetrasodium ethylene diamine tetraacetate	No evidence for carcinogenicity, weight-of-evidence
sodium cumenesulphonate	No evidence for carcinogenicity, negative test results
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
tetrasodium ethylene diamine tetraacetate			No data available				No evidence for reproductive toxicity
sodium cumenesulphonate	NOAEL	Teratogenic effects	> 936	Rat	Non guideline test		No known significant effects or critical hazards
Alcohols, C12-15-branched and linear, ethoxylated propoxylated			No data available				
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
tetrasodium ethylene diamine tetraacetate		No data available				
sodium cumenesulphonate	NOAEL	763 - 3534	Rat	OECD 408 (EU B.26)		No effects observed
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				
sodium hydroxide		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
tetrasodium ethylene diamine tetraacetate		No data available				
sodium cumenesulphonate		No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				
sodium hydroxide		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
tetrasodium ethylene diamine tetraacetate		No data available				
sodium cumenesulphonate		No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				
sodium hydroxide		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
tetrasodium ethylene diamine tetraacetate			No data available					
sodium cumenesulphonate			No data available					
Alcohols, C12-15-branched and linear, ethoxylated propoxylated			No data available					
sodium hydroxide			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
tetrasodium ethylene diamine tetraacetate	No data available
sodium cumenesulphonate	Not applicable
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available
sodium hydroxide	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
tetrasodium ethylene diamine tetraacetate	Respiratory tract
sodium cumenesulphonate	Not applicable
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available
sodium hydroxide	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
tetrasodium ethylene diamine tetraacetate	LC ₅₀	> 100	<i>Lepomis macrochirus</i>	OPP 72-1, static (EPA)	96
sodium cumenesulphonate	LC ₅₀	> 1000	<i>Fish</i>	EPA-OPPTS 850.1075	96
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	LC ₅₀	> 1-10	<i>Fish</i>	OECD 203 (EU C.1)	96
sodium hydroxide	LC ₅₀	35	<i>Various species</i>	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
tetrasodium ethylene diamine tetraacetate	EC ₅₀	140	<i>Daphnia magna</i> Straus	DIN 38412, Part 11	48
sodium cumenesulphonate	EC ₅₀	> 1000	<i>Daphnia magna</i> Straus	OECD 202 (EU C.2)	48
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	EC ₅₀	≤ 1	<i>Daphnia magna</i> Straus	OECD 202 (EU C.2)	48
sodium hydroxide	EC ₅₀	40.4	<i>Ceriodaphnia sp.</i>	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
tetrasodium ethylene diamine tetraacetate	EC ₅₀	> 100	<i>Scenedesmus obliquus</i>	88/302/EEC, Part C, static	72
sodium cumenesulphonate	E _b C ₅₀	> 230	<i>Not specified</i>	EPA OPPTS 850.5400	96
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	EC ₅₀	≤ 1	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	RM000517/ RM002677 BASF EU RSDS 2021
sodium hydroxide	EC ₅₀	22	<i>Photobacterium phosphoreum</i>	Method not given	0.25

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
tetrasodium ethylene diamine tetraacetate		No data available			
sodium cumenesulphonate		No data available			
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available			
sodium hydroxide		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
tetrasodium ethylene diamine tetraacetate	EC ₂₀	> 500	<i>Activated sludge</i>	OECD 209	0.5 hour(s)
sodium cumenesulphonate	E _r C ₅₀	> 1000	<i>Bacteria</i>	OECD 209	3 hour(s)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available			
sodium hydroxide		No data available			

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
tetrasodium ethylene diamine tetraacetate	NOEC	> 25.7	<i>Brachydanio rerio</i>	OECD 210	35 day(s)	
sodium cumenesulphonate		No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				
sodium hydroxide		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
tetrasodium ethylene diamine tetraacetate	NOEC	25	<i>Daphnia magna</i>	OECD 211	21 day(s)	
sodium cumenesulphonate		No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	NOEC	> 0.1-1	<i>Daphnia magna</i>	Method not given	21 day(s)	
sodium hydroxide		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
tetrasodium ethylene diamine tetraacetate		No data available				
sodium cumenesulphonate		No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				
sodium hydroxide		No data available				

Brightwash VB14

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
tetrasodium ethylene diamine tetraacetate	LD ₅₀	156	<i>Eisenia fetida</i>	OECD 207	14	
sodium hydroxide		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
tetrasodium ethylene diamine tetraacetate	NOEC	0.25 - 1.25			21	
sodium hydroxide		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
tetrasodium ethylene diamine tetraacetate	No data available			
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
tetrasodium ethylene diamine tetraacetate	No data available			
sodium hydroxide	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
tetrasodium ethylene diamine tetraacetate		No data available			
sodium hydroxide		No data available			

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
tetrasodium ethylene diamine tetraacetate				Weight of evidence	Not readily biodegradable. Inherently biodegradable.
sodium cumenesulphonate		CO ₂ production	103 - 109% in 28 day(s)	OECD 301B	Readily biodegradable
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Activated sludge, aerobe	CO ₂ production	> 60% in 28 day(s)	OECD 301B	Readily biodegradable
sodium hydroxide					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical	DT ₅₀	Method	Evaluation
---------------	---------------	------------	------------------	--------	------------

Brightwash VB14

		method			
tetrasodium ethylene diamine tetraacetate					No data available
sodium hydroxide					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
tetrasodium ethylene diamine tetraacetate					No data available
sodium hydroxide					No data available

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log K_{ow})

Ingredient(s)	Value	Method	Evaluation	Remark
tetrasodium ethylene diamine tetraacetate	-3.86	Method not given	No bioaccumulation expected	
sodium cumenesulphonate	-1.1	Method not given	No bioaccumulation expected	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			
sodium hydroxide	No data available		Not relevant, does not bioaccumulate	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
tetrasodium ethylene diamine tetraacetate	1.8	<i>Lepomis macrochirus</i>	OECD 305	Low potential for bioaccumulation	
sodium cumenesulphonate	No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available				
sodium hydroxide	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation
tetrasodium ethylene diamine tetraacetate	No data available				Adsorption to solid soil phase is not expected
sodium cumenesulphonate	No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available				
sodium hydroxide	No data available				Mobile in soil

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.
20 01 15* - alkalines.

European Waste Catalogue:

Empty packaging

Recommendation:

Suitable cleaning agents:

Dispose of observing national or local regulations.
Water, if necessary with cleaning agent.

SECTION 14: Transport information

Brightwash VB14

**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)****14.1 UN number or ID number:** 3267**14.2 UN proper shipping name:**

Corrosive liquid, basic, organic, n.o.s. (tetrasodium ethylenediaminetetraacetate)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: III**14.5 Environmental hazards:**

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.**14.7 Maritime transport in bulk according to IMO instruments:** The product is not transported in bulk tankers.**Other relevant information:****ADR**

Classification code: C7

Tunnel restriction code: (E)

Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations :**

- Regulation (EC) 1907/2006 - REACH (UK amended)
- Regulation (EC) 1272/2008 - CLP (UK amended)
- Regulation (EC) 648/2004 - Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.**Ingredients according to Detergents Regulation**

EDTA and salts thereof	15 - 30 %
phosphates, NTA (nitrilotriacetic acid) and salts thereof, non-ionic surfactants, phosphonates	< 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS1906**Version:** 16.0**Revision:** 2023-02-05**Reason for revision:**

This data sheet contains changes from the previous version in section(s):, Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, 2, 16

Brightwash VB14**Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H290 - May be corrosive to metals.
- H302 - Harmful if swallowed.
- H314 - Causes severe skin burns and eye damage.
- H315 - Causes skin irritation.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H332 - Harmful if inhaled.
- H373 - May cause damage to organs through prolonged or repeated exposure.
- H400 - Very toxic to aquatic life.
- H412 - Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

End of Safety Data Sheet