



HUGH CRANE

— Cleaning Equipment Limited —

South Walsham Road, Acle, Norwich NR13 3ES

Telephone: 01493 750072 Fax: 01493 751854

Email: sales@hughcrane.co.uk

Website: www.hughcrane.co.uk

Furniture Polish.
03HC11033 Page 1 of 6
Revision Date 19/05/2015
Print Date 08/02/16

PRODUCT INFORMATION SHEET

FURNITURE POLISH

Description

Multi purpose aerosol furniture polish. A polish suitable for furniture, tiles, marble, stainless steel and most plastic & vinyl coated surfaces.

Benefits & Features

- Restores shine to faded furniture.
- Blends of silicones and waxes for a deep gloss.
- Leaves surfaces gleaming.

This effective polish cleans and shines as you dust, leaving a pleasant perfume. Removes finger marks, surface dirt, smudges etc. Our new formula resists dust and finger marking and feeds furniture.

Directions For Use

Easy to apply. Shake the can well, hold the can upright 10"-12" away from surface, spray, then a simple light wipe with a duster brings out the shine.

Hazards

In use, may form flammable/explosive vapour-air mixture. Pressurised container. Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn even after use. Do not spray on a naked flame or any incandescent material. Prolonged contact with product may result in the removal of essential fats and may result in dermatitis unless good hygiene is used. Deliberately concentrating and inhaling contents of this container is dangerous and can be fatal.

Risk Phrases:

R12 Extremely flammable.

Safety Phrases:

S2 Keep out of reach of children
S16 Keep away from sources of ignition –
No Smoking
S23 Do not breathe vapour or spray
S24/25 Avoid contact with skin or eyes.
S51 Use only in well ventilated areas.



Precautionary Phrases: Safety Data Sheet available for professional user on request.

Storage:

Avoid extremes of temperature.

Shelf Life:

Unopened, approx 1 year.

Note:

The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the Safety Data Sheet. The users attention is drawn to the possible existence of additional provisions that complete these regulations. Refer to all applicable national, international and local regulations or provisions.



HUGH CRANE

— Cleaning Equipment Limited —

South Walsham Road, Acle, Norwich NR13 3ES

Telephone: 01493 750072 Fax: 01493 751854

Email: sales@hughcrane.co.uk

Website: www.hughcrane.co.uk

Furniture Polish.
03HC1033 Page 2 of 6
Revision Date 17/12/08
Print Date 08/02/16

SAFETY DATA SHEET

FURNITURE POLISH

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION & COMPANY

Chemical Name: Furniture Polish , 750ml
Product Code: 03HC1033 / SPD919
Supplier: Hugh Crane (Cleaning Equipment) Ltd.
South Walsham Road,
Acle, Norwich, NR13 3ES
Telephone: Tel (01493) 750072 Fax (01493) 751854
Emergency Telephone: National Poisons Information Service, Birmingham B18 7QH - Tel 0121-507-5122

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Identified Uses: For professional and industrial use only. Aerosol cleaner and polish.

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification under CHIP: F+: R12; -: R52/53; -: R66; -: R67

Classification under CLP: STOT SE 3: H336;
Aquatic Chronic 3: H412;
Flam. Aerosol 1: H222;
-: H229

Most important adverse effects: Extremely flammable. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.

Label elements

Hazard statements: H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated
H336 May cause drowsiness or dizziness.
H412 Harmful to aquatic life with long lasting effects.
Signal words: Danger
Hazard pictograms: GHS02: Flame GHS07: Exclamation mark



Precautionary statements: P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P260 Do not breathe spray.
P262 Do not get in eyes, on skin, or on clothing.
P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P302+352 IF ON SKIN: Wash with plenty of water/.
P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Label elements under CHIP

Hazard symbols: Extremely flammable



Risk phrases: R12 Extremely flammable.
R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R66 Repeated exposure may cause skin dryness or cracking.
R67 Vapours may cause drowsiness and dizziness.
Safety phrases: S2 Keep out of the reach of children.
S16 Keep away from sources of ignition - No smoking.
S23 Do not breathe spray.
S24/25 Avoid contact with skin and eyes.
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S37/39 Wear suitable gloves and eye / face protection.
S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).



Precautionary phrases:

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep out of the reach of children.

Other hazards

Other hazards:

In use, may form flammable / explosive vapour-air mixture.

PBT:

This product is not identified as a PBT/vPvB substance.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Mixtures

HAZARDOUS INGREDIENTS	EINECS No.	CAS No.	CHIP CLASSIFICATION	CHIP CLASSIFICATION	PERCENT
HYDROCARBONS, C9-12, N-ALKANES, ISO-ALKANES, CYCLICS, AROMATICS 2-25%, <0.1%BENZENE	265-185-4	64742-82-1	-: R10; Xn: R65; -: R66; -: R67; N: R51/53	Flam. Liq. 3: H226; STOT SE 3: H335; STOT SE 3: H336; Asp. Tox. 1: H304; Aquatic Chronic 2: H411; -: EUH066	10-30%
BUTANE, <0.1% 1,3 BUTADIENE	203-448-7	106-97-8	F+: R12 Substance with a Community workplace exposure limit.	Flam. Gas 1: H220; Press. Gas: H280	1-10%
PROPANE, <0.1% 1,3 BUTADIENE	200-827-9	74-98-6	F+: R12 Substance with a Community workplace exposure limit.	Flam. Gas 1: H220; Press. Gas: H280	1-10%

4. FIRST AID MEASURES

Description of First Aid Measures

Skin contact:

Wash immediately with plenty of soap and water.

Eye contact:

Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion:

Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.

Inhalation:

Remove casualty from exposure ensuring one's own safety whilst doing so. Move to fresh air in case of accidental inhalation of vapours.

Most Important Symptoms & Effects, Both Acute & Delayed

Eye contact:

There may be irritation and redness. The eyes may water profusely.

Ingestion:

There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

Inhalation:

There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects:

Immediate effects can be expected after short-term exposure.

Indication of any Immediate Medical Attention And Special Treatment Needed

Immediate/Special Treatment: Not applicable.

5. FIREFIGHTING MEASURES

Extinguishing media:

Alcohol or polymer foam. Carbon dioxide. Dry chemical powder. Use water spray to cool containers.

Exposure hazards:

Highly flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture. Vapour may travel considerable distance to source of ignition and flash back

Advice for fire-fighters:

Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions:

Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Eliminate all sources of ignition. Cover leaking can until the discharge has stopped, before attempting clean-up operations. Spillage will create slippery surface.

Environmental precautions:

Do not discharge into drains or rivers. Contain the spillage using bunding.

Methods and material for containment and cleaning up

Clean Up Procedure:

Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks. Wash the ground with an appropriate self-emulsifying solvent.

Reference to other sections:

Refer to section 8 of SDS.



7 HANDLING AND STORAGE

Precautions for Safe Handling

Handling Requirements:

Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.
Do not handle in a confined space. Avoid the formation or spread of mists in the air.
Smoking is forbidden. Use non-sparking tools.

Conditions for safe storage, including any incompatibilities

Storage conditions:

Store in a cool, well ventilated area. Keep away from sources of ignition. Keep away from direct sunlight.

Specific end use(s):

No data available.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Hazardous Ingredients

Hazardous Ingredient	State	Workplace Exposure Limits		Respirable Dust	
		8 hr TWA	15 min STEL	8 hr TWA	15 min STEL
Hydrocarbons, C9-12, N-Alkanes, Iso-Alkanes, Cyclics, Aromatics 2-25%, <0.1% Benzene	UK	350 mg/m ³	600 mg/m ³	-	-
Butane, <0.1% 1,3 Butadiene	UK	1450 mg/m ³	1810 mg/m ³	-	-
Propane, <0.1% 1,3 Butadiene	UK	Asphyxiating	Asphyxiating	-	-

DNEL/PNEC Value:

No data available.

Exposure Controls

Engineering Measures:

Ensure there is sufficient ventilation of the area.. Ensure lighting and electrical equipment are not a source of ignition.

Respiratory Protection:

Self-contained breathing apparatus must be available in case of emergency.

Hand protection:

Impermeable gloves.

Eye protection:

Safety glasses. Ensure eye bath is to hand.

Skin Protection:

Impermeable protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

State:	Aerosol.
Colour:	Off-white.
Odour:	Perfumed.
Evaporation rate:	Moderate
Solubility in water:	Slightly soluble
Boiling point/range °C:	Not applicable.
Melting point/range °C:	Not applicable.
Flammability limits %:	lower: 0.6 upper: 9.0
Flash point °C:	minus 40
Part.coef. n-octanol/water:	No data available.
Autoflammability °C:	>240
Vapour pressure:	Not applicable.
Relative density:	Not applicable.
pH:	Not applicable.
VOC g/l:	Not applicable.
Other Information:	No data available.

10. STABILITY AND REACTIVITY

Reactivity:

Stable under recommended transport or storage conditions.

Chemical Stability:

Stable under normal conditions. Stable at room temperature.

Possibility of Hazardous reactions

Hazardous reactions:

Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

Conditions to avoid:

Heat. Hot surfaces. Sources of ignition. Flames. Direct sunlight.

Materials To Avoid:

Strong oxidising agents. Strong acids.

Hazardous Decomp'n Products:

In combustion emits toxic fumes.

11. TOXICOLOGICAL INFORMATION

Hazardous Ingredients

Hazardous Ingredient	Toxicological Effect		
Hydrocarbons, C9-12, N-Alkanes, Iso-Alkanes, Cyclics, Aromatics 2-25%, <0.1% Benzene	Skin	RBT	LD50 >2000 mg/kg

Toxicity Values:

No data available



HUGH CRANE

— Cleaning Equipment Limited —

South Walsham Road, Acle, Norwich NR13 3ES

Telephone: 01493 750072 Fax: 01493 751854

Email: sales@hughcrane.co.uk

Website: www.hughcrane.co.uk

Furniture Polish.
03HC1033 Page 5 of 6
Revision Date 17/12/08
Print Date 08/02/16

Symptoms/Routes of Exposure

Skin Contact: There may be irritation & redness at the site of contact.
Eye Contact: There may be irritation & redness. The eyes may water profusely.
Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.
Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.
Delayed / immediate effects: Immediate effects can be expected after short-term exposure

12 ECOLOGICAL INFORMATION

Toxicity

Hazardous Ingredient	Toxicological Effect		
Hydrocarbons, C9-12, N-Alkanes, Iso-Alkanes, Cyclics, Aromatics 2-25%, <0.1% Benzene	96h	LC50	<10 mg/ltr

Persistence and degradability: Biodegradable. The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.
Bioaccumulative potential: No bioaccumulation potential.
Mobility: Readily absorbed into soil. Volatile. Insoluble in water. Floats on water. Vapour is heavier than air.
Results of PBT and vPvB assessment: This product is not identified as a PBT/vPvB substance.
Other adverse effects: Harmful to aquatic organisms. Harmful to soil organisms.

13 DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.
Recovery operations: Recycling/reclamation of metals and metal compounds.
Disposal of packaging: Dispose of as normal industrial waste. Empty cans must not be burned because of explosion hazard. **NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION

UN No.: 1950
Shipping Name: Aerosols
Transport Hazard Class: 2
Packing Group:

Environmental Hazards

Environmentally Hazardous: No
Marine Pollutant: No

Special Precautions for User

Special Precautions: No special precautions
Tunnel Code: D
Transport Category: 2

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Safety Assessment

16. OTHER INFORMATION

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.
IMPORTANT NOTE: Risk phases in this section below relate to the INDIVIDUAL COMPONENTS in the formulation when used at their FULL CONCENTRATIONS, and not at the reduced levels in the mixed product.
See sections 2 and 3 for the calculated hazard and risk phrases for the blended product.

Revision Date : 19th May 2015.
Risk Phrases Used In S. 2&3: EUH066 Repeated exposure may cause skin dryness or cracking.
H220 Extremely flammable gas.
H222 Extremely flammable aerosol.
H226 Flammable liquid and vapour.
H229 Pressurised container: May burst if heated
H304 May be fatal if swallowed and enters airways.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.



HUGH CRANE

— Cleaning Equipment Limited —

South Walsham Road, Acle, Norwich NR13 3ES

Telephone: 01493 750072 Fax: 01493 751854

Email: sales@hughcrane.co.uk

Website: www.hughcrane.co.uk

Furniture Polish.
03HC1033 Page 6 of 6
Revision Date 17/12/08
Print Date 08/02/16

- H412 Harmful to aquatic life with long lasting effects.
- R10 Flammable.
- R12 Extremely flammable.
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R65 Harmful: may cause lung damage if swallowed.
- R66 Repeated exposure may cause skin dryness or cracking.
- R67 Vapours may cause drowsiness and dizziness.

Disclaimer:

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use.

End of Safety Data Sheet