

Divosan Extra VT55

Hazards for humans and the environment



Contains alkylidimethylbenzylammoniumchloride (Benzalkonium Chloride)

Signal word:

Danger.

Hazard statements:

H314 - Causes severe skin burns and eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

Prevention and conduct



The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.



Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls:

If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required. Avoid direct contact and/or splashes where possible. Train personnel.



Appropriate organisational controls:

Personal protective equipment

Eye / face protection:

Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur. Chemical-resistant protective gloves (EN 374). Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.



Hand protection:



Body protection:

No special requirements under normal use conditions. Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

Respiratory protection:

No special requirements under normal use conditions.

Environmental exposure controls:

Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 1

Appropriate engineering controls:

Provide a good standard of general ventilation.

Appropriate organisational controls:

No special requirements under normal use conditions.

Personal protective equipment

Eye / face protection:

No special requirements under normal use conditions.

Hand protection:

No special requirements under normal use conditions.

Body protection:

No special requirements under normal use conditions.

Respiratory protection:

Trigger spray bottle application: No special requirements under normal use conditions. Apply technical measures to comply with the occupational exposure limits, if available.

Environmental exposure controls:

Should not reach sewage water or drainage ditch undiluted.

Emergency procedure



Suitable extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

Methods for cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

First aid measures



Inhalation:

Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician.



Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

Always check the product labels and consult the Safety Data Sheet for details. The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract.

MS1005015



Divosan Extra VT55

Revision: 2022-04-10

Version: 01.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Divosan Extra VT55

UFI: 0KXF-31G2-T00G-SVN9

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | |
|------------------------------|--|
| Product use: | Surface disinfectant. For professional and industrial use only. |
| Uses advised against: | Uses other than those identified are not recommended. |

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_1_1
AISE_SWED_PW_8a_1
AISE_SWED_PW_11_1
AISE_SWED_PW_19_1
AISE_SWED_IS_7_5

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd
Weston Favell Centre, Northampton NN3 8PD, United Kingdom
Tel: 01604 405311, Fax: 01604 406809
Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)
For medical or environmental emergency only:
call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Corr. 1B (H314)
Eye Dam. 1 (H318)
Aquatic Acute 1 (H400)
Aquatic Chronic 2 (H411)

2.2 Label elements



Signal word: Danger.

Contains alkyldimethylbenzylammoniumchloride (Benzalkonium Chloride)

Hazard statements:

H314 - Causes severe skin burns and eye damage.
H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P280 - Wear protective gloves, protective clothing and eye or face protection.
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

Divosan Extra VT55

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

| Ingredient(s) | EC number | CAS number | REACH number | Classification | Notes | Weight percent |
|-------------------------------------|-----------|------------|--------------|--|-------|----------------|
| alkyldimethylbenzylammoniumchloride | 270-325-2 | 68424-85-1 | [6] | Skin Corr. 1B (H314) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Eye Dam. 1 (H318) Aquatic Acute 1 M=10 (H400) Aquatic Chronic 1 (H410) | | 10-20 |

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures**4.1 Description of first aid measures****General Information:**

If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

Inhalation:

Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

No known effects or symptoms in normal use.

Skin contact:

Causes severe burns.

Eye contact:

Causes severe or permanent damage.

Ingestion:

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear suitable protective clothing. Wear suitable gloves. Wear eye/face protection.

Divosan Extra VT55

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep from freezing. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

Comah - Lower Tier requirements (tonnes): 100

Comah - Upper Tier requirements (tonnes): 200

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values**Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|-------------------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| alkyldimethylbenzylammoniumchloride | - | - | - | 3.4 |

DNEL/DMEL dermal exposure - Worker

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|-------------------------------------|----------------------------|--|---------------------------|---|
| alkyldimethylbenzylammoniumchloride | - | - | - | 5.7 |

DNEL/DMEL dermal exposure - Consumer

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|-------------------------------------|----------------------------|--|---------------------------|---|
| alkyldimethylbenzylammoniumchloride | - | - | - | 3.4 |

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|-------------------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| alkyldimethylbenzylammoniumchloride | - | - | - | 3.96 |

Divosan Extra VT55

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|-------------------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| alkyldimethylbenzylammoniumchloride | - | - | - | 1.64 |

Environmental exposure

Environmental exposure - PNEC

| Ingredient(s) | Surface water, fresh (mg/l) | Surface water, marine (mg/l) | Intermittent (mg/l) | Sewage treatment plant (mg/l) |
|-------------------------------------|-----------------------------|------------------------------|---------------------|-------------------------------|
| alkyldimethylbenzylammoniumchloride | 0.0009 | 0.00096 | 0.00016 | 0.4 |

Environmental exposure - PNEC, continued

| Ingredient(s) | Sediment, freshwater (mg/kg) | Sediment, marine (mg/kg) | Soil (mg/kg) | Air (mg/m ³) |
|-------------------------------------|------------------------------|--------------------------|--------------|--------------------------|
| alkyldimethylbenzylammoniumchloride | 12.27 | 13.09 | 7 | - |

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

| | SWED - Sector-specific worker exposure description | LCS | PROC | Duration (min) | ERC |
|------------------------------|--|-----|---------|----------------|-------|
| Manual transfer and dilution | AISE_SWED_PW_8a_1 | PW | PROC 8a | 60 | ERC8a |
| Manual transfer and dilution | AISE_SWED_PW_1_1 | PW | PROC 1 | 60 | ERC8a |

Personal protective equipment**Eye / face protection:**

Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

Hand protection:

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

No special requirements under normal use conditions. Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

Respiratory protection:

No special requirements under normal use conditions.

Environmental exposure controls:

Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 1

Appropriate engineering controls: Provide a good standard of general ventilation.

Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

| | SWED | LCS | PROC | Duration (min) | ERC |
|--------------------|-------------------|-----|---------|----------------|-------|
| Spray application | AISE_SWED_IS_7_5 | IS | PROC 7 | 480 | ERC4 |
| Spray application | AISE_SWED_PW_11_1 | PW | PROC 11 | 60 | ERC8a |
| Manual application | AISE_SWED_PW_19_1 | PW | PROC 19 | 480 | ERC8a |

Personal protective equipment**Eye / face protection:**

No special requirements under normal use conditions.

Hand protection:

No special requirements under normal use conditions.

Divosan Extra VT55

Body protection: No special requirements under normal use conditions.
Respiratory protection: Trigger spray bottle application: No special requirements under normal use conditions. Apply technical measures to comply with the occupational exposure limits, if available

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

| | |
|---|--|
| Physical state: Liquid | Method / remark |
| Colour: Clear , Colourless | |
| Odour: Characteristic | |
| Odour threshold: Not applicable | |
| Melting point/freezing point (°C): Not determined | Not relevant to classification of this product |
| Initial boiling point and boiling range (°C): Not determined | See substance data |

Substance data, boiling point

| Ingredient(s) | Value (°C) | Method | Atmospheric pressure (hPa) |
|-------------------------------------|------------|------------------|----------------------------|
| alkyldimethylbenzylammoniumchloride | > 107 | Method not given | |

| | |
|--|------------------------|
| Flammability (solid, gas): Not applicable to liquids | Method / remark |
| Flammability (liquid): Not flammable. | |
| Flash point (°C): Not applicable. | |
| Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2) | |
| Lower and upper explosion limit/flammability limit (%): Not determined | See substance data |

Substance data, flammability or explosive limits, if available:

| Ingredient(s) | Lower limit (% vol) | Upper limit (% vol) |
|-------------------------------------|---------------------|---------------------|
| alkyldimethylbenzylammoniumchloride | - | - |

| | |
|---|------------------------|
| Autoignition temperature: Not determined | Method / remark |
| Decomposition temperature: Not applicable. | |
| pH: ≈ 7 (neat) | ISO 4316 |
| Dilution pH: ≈ 6 (1 %) | ISO 4316 |
| Kinematic viscosity: Not determined | |
| Solubility in / Miscibility with Water: Fully miscible | |

Substance data, solubility in water

| Ingredient(s) | Value (g/l) | Method | Temperature (°C) |
|-------------------------------------|-------------|------------------|------------------|
| alkyldimethylbenzylammoniumchloride | Soluble | Method not given | |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

| | |
|--|------------------------|
| Vapour pressure: Not determined | Method / remark |
| | See substance data |

Substance data, vapour pressure

| Ingredient(s) | Value (Pa) | Method | Temperature (°C) |
|-------------------------------------|------------|------------------|------------------|
| alkyldimethylbenzylammoniumchloride | 2300 | Method not given | 20 |

| | |
|---|--|
| Relative density: ≈ 1.00 (20 °C) | Method / remark |
| Relative vapour density: No data available. | OECD 109 (EU A.3) |
| Particle characteristics: No data available. | Not relevant to classification of this product |
| | Not applicable to liquids. |

9.2 Other information

9.2.1 Information with regard to physical hazard classes

| | |
|---|--------------------|
| Explosive properties: Not explosive. | |
| Oxidising properties: Not oxidising. | |
| Corrosion to metals: Not corrosive | Weight of evidence |

9.2.2 Other safety characteristics

Divosan Extra VT55

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

ATE - Dermal (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) | ATE (mg/kg) |
|-------------------------------------|------------------|---------------|---------|--------|-------------------|-------------|
| alkyldimethylbenzylammoniumchloride | LD ₅₀ | 304.5 | Rat | | | 2000 |

Acute dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) | ATE (mg/kg) |
|-------------------------------------|------------------|---------------|---------|------------------|-------------------|-------------|
| alkyldimethylbenzylammoniumchloride | LD ₅₀ | 3412 | Rabbit | Method not given | | 22000 |

Acute inhalative toxicity

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|-------------------------------------|----------|-------------------|---------|--------|-------------------|
| alkyldimethylbenzylammoniumchloride | | No data available | | | |

Acute inhalative toxicity, continued

| Ingredient(s) | ATE - inhalation, dust (mg/l) | ATE - inhalation, mist (mg/l) | ATE - inhalation, vapour (mg/l) | ATE - inhalation, gas (mg/l) |
|-------------------------------------|-------------------------------|-------------------------------|---------------------------------|------------------------------|
| alkyldimethylbenzylammoniumchloride | Not established | Not established | Not established | Not established |

Irritation and corrosivity

Skin irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|-------------------------------------|-----------|---------|------------------|---------------|
| alkyldimethylbenzylammoniumchloride | Corrosive | Rabbit | Method not given | |

Eye irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|-------------------------------------|---------------|---------|------------------|---------------|
| alkyldimethylbenzylammoniumchloride | Severe damage | | Method not given | |

Respiratory tract irritation and corrosivity

Divosan Extra VT55

| Ingredient(s) | Result | Species | Method | Exposure time |
|-------------------------------------|-------------------|---------|--------|---------------|
| alkyldimethylbenzylammoniumchloride | No data available | | | |

Sensitisation

Sensitisation by skin contact

| Ingredient(s) | Result | Species | Method | Exposure time (h) |
|-------------------------------------|-----------------|------------|----------------------------------|-------------------|
| alkyldimethylbenzylammoniumchloride | Not sensitising | Guinea pig | OECD 406 (EU B.6) / Buehler test | |

Sensitisation by inhalation

| Ingredient(s) | Result | Species | Method | Exposure time |
|-------------------------------------|-------------------|---------|--------|---------------|
| alkyldimethylbenzylammoniumchloride | No data available | | | |

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

| Ingredient(s) | Result (in-vitro) | Method (in-vitro) | Result (in-vivo) | Method (in-vivo) |
|-------------------------------------|--|---|--|--------------------|
| alkyldimethylbenzylammoniumchloride | No evidence of genotoxicity, negative test results | OECD 471 (EU B.12/13) OECD 476 OECD 473 | No evidence of genotoxicity, negative test results | OECD 474 (EU B.12) |

Carcinogenicity

| Ingredient(s) | Effect |
|-------------------------------------|-------------------|
| alkyldimethylbenzylammoniumchloride | No data available |

Toxicity for reproduction

| Ingredient(s) | Endpoint | Specific effect | Value (mg/kg bw/d) | Species | Method | Exposure time | Remarks and other effects reported |
|-------------------------------------|----------|-----------------|--------------------|---------|--------|---------------|------------------------------------|
| alkyldimethylbenzylammoniumchloride | | | No data available | | | | |

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|-------------------------------------|----------|--------------------|---------|--------|----------------------|--------------------------------------|
| alkyldimethylbenzylammoniumchloride | | No data available | | | | |

Sub-chronic dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|-------------------------------------|----------|--------------------|---------|--------|----------------------|--------------------------------------|
| alkyldimethylbenzylammoniumchloride | | No data available | | | | |

Sub-chronic inhalation toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|-------------------------------------|----------|--------------------|---------|--------|----------------------|--------------------------------------|
| alkyldimethylbenzylammoniumchloride | | No data available | | | | |

Chronic toxicity

| Ingredient(s) | Exposure route | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time | Specific effects and organs affected | Remark |
|-------------------------------------|----------------|----------|--------------------|---------|--------|---------------|--------------------------------------|--------|
| alkyldimethylbenzylammoniumchloride | | | No data available | | | | | |

STOT-single exposure

| Ingredient(s) | Affected organ(s) |
|-------------------------------------|-------------------|
| alkyldimethylbenzylammoniumchloride | No data available |

STOT-repeated exposure

| Ingredient(s) | Affected organ(s) |
|-------------------------------------|-------------------|
| alkyldimethylbenzylammoniumchloride | No data available |

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

Divosan Extra VT55

11.2 Information on other hazards**11.2.1 Endocrine disrupting properties**

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information**12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|-------------------------------------|------------------|--------------|-------------|------------------|-------------------|
| alkyldimethylbenzylammoniumchloride | LC ₅₀ | 0.515 | <i>Fish</i> | Method not given | 96 |

Aquatic short-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|-------------------------------------|------------------|--------------|----------------|------------------|-------------------|
| alkyldimethylbenzylammoniumchloride | EC ₅₀ | 0.016 | <i>Daphnia</i> | Method not given | 48 |

Aquatic short-term toxicity - algae

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|-------------------------------------|------------------|--------------|----------------------------------|-------------------|-------------------|
| alkyldimethylbenzylammoniumchloride | EC ₅₀ | 0.02 | <i>Selenastrum capricornutum</i> | OECD 201 (EU C.3) | 72 |

Aquatic short-term toxicity - marine species

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (days) |
|-------------------------------------|----------|-------------------|---------|--------|----------------------|
| alkyldimethylbenzylammoniumchloride | | No data available | | | |

Impact on sewage plants - toxicity to bacteria

| Ingredient(s) | Endpoint | Value (mg/l) | Inoculum | Method | Exposure time |
|-------------------------------------|------------------|--------------|-------------------------|----------|---------------|
| alkyldimethylbenzylammoniumchloride | EC ₂₀ | 5 | <i>Activated sludge</i> | OECD 209 | 0.5 hour(s) |

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|-------------------------------------|----------|-------------------|---------|--------|---------------|------------------|
| alkyldimethylbenzylammoniumchloride | | No data available | | | | |

Aquatic long-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|-------------------------------------|----------|--------------|----------------------|----------|---------------|------------------|
| alkyldimethylbenzylammoniumchloride | NOEC | 0.025 | <i>Daphnia magna</i> | OECD 211 | 21 day(s) | |

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw sediment) | Species | Method | Exposure time (days) | Effects observed |
|-------------------------------------|----------|---------------------------|---------|--------|----------------------|------------------|
| alkyldimethylbenzylammoniumchloride | | No data available | | | | |

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|-------------------------------------|----------|-----------------------|---------|--------|----------------------|------------------|
| alkyldimethylbenzylammoniumchloride | | No data available | | | | |

Divosan Extra VT55

Terrestrial toxicity - plants, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|-------------------------------------|----------|-----------------------|---------|--------|----------------------|------------------|
| alkyldimethylbenzylammoniumchloride | | No data available | | | | |

Terrestrial toxicity - birds, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure time (days) | Effects observed |
|-------------------------------------|----------|-------------------|---------|--------|----------------------|------------------|
| alkyldimethylbenzylammoniumchloride | | No data available | | | | |

Terrestrial toxicity - beneficial insects, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|-------------------------------------|----------|-----------------------|---------|--------|----------------------|------------------|
| alkyldimethylbenzylammoniumchloride | | No data available | | | | |

Terrestrial toxicity - soil bacteria, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|-------------------------------------|----------|-----------------------|---------|--------|----------------------|------------------|
| alkyldimethylbenzylammoniumchloride | | No data available | | | | |

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

| Ingredient(s) | Half-life time | Method | Evaluation | Remark |
|-------------------------------------|-------------------|--------|------------|--------|
| alkyldimethylbenzylammoniumchloride | No data available | | | |

Abiotic degradation - hydrolysis, if available:

| Ingredient(s) | Half-life time in fresh water | Method | Evaluation | Remark |
|-------------------------------------|-------------------------------|--------|------------|--------|
| alkyldimethylbenzylammoniumchloride | No data available | | | |

Abiotic degradation - other processes, if available:

| Ingredient(s) | Type | Half-life time | Method | Evaluation | Remark |
|-------------------------------------|------|-------------------|--------|------------|--------|
| alkyldimethylbenzylammoniumchloride | | No data available | | | |

Biodegradation

Ready biodegradability - aerobic conditions

| Ingredient(s) | Inoculum | Analytical method | DT ₅₀ | Method | Evaluation |
|-------------------------------------|----------|-------------------|------------------|-------------|-----------------------|
| alkyldimethylbenzylammoniumchloride | | Oxygen depletion | > 60% | Read across | Readily biodegradable |

Ready biodegradability - anaerobic and marine conditions, if available:

| Ingredient(s) | Medium & Type | Analytical method | DT ₅₀ | Method | Evaluation |
|-------------------------------------|---------------|-------------------|------------------|--------|-------------------|
| alkyldimethylbenzylammoniumchloride | | | | | No data available |

Degradation in relevant environmental compartments, if available:

| Ingredient(s) | Medium & Type | Analytical method | DT ₅₀ | Method | Evaluation |
|-------------------------------------|---------------|-------------------|------------------|--------|-------------------|
| alkyldimethylbenzylammoniumchloride | | | | | No data available |

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

| Ingredient(s) | Value | Method | Evaluation | Remark |
|-------------------------------------|-------|------------------|-----------------------------|----------|
| alkyldimethylbenzylammoniumchloride | 0.004 | Method not given | No bioaccumulation expected | at 20 °C |

Bioconcentration factor (BCF)

| Ingredient(s) | Value | Species | Method | Evaluation | Remark |
|-------------------------------------|-------|----------------------------|--------|-----------------------------------|--------|
| alkyldimethylbenzylammoniumchloride | 79 | <i>Lepomis macrochirus</i> | | Low potential for bioaccumulation | |

Divosan Extra VT55

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

| Ingredient(s) | Adsorption coefficient Log K _{oc} | Desorption coefficient Log K _{oc} (des) | Method | Soil/sediment type | Evaluation |
|-------------------------------------|---|---|--------|--------------------|------------|
| alkyldimethylbenzylammoniumchloride | No data available | | | | |

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

16 03 05* - organic wastes containing dangerous substances.

Empty packaging**Recommendation:**

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)****14.1 UN number:** 3267**14.2 UN proper shipping name:**

Corrosive liquid, basic, organic, n.o.s. (alkyldimethylbenzylammoniumchloride)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: III**14.5 Environmental hazards:**

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6 Special precautions for user: None known.**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:** The product is not transported in bulk tankers.**Other relevant information:****ADR**

Classification code: C7

Tunnel restriction code: E

Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations :**

• Regulation (EC) 1907/2006 - REACH (UK amended)

Divosan Extra VT55

- Regulation (EC) 1272/2008 - CLP (UK amended)
- Biocidal Products Regulations 2001 (SI 2001/880)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Comah - classification: E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1005015

Version: 01.0

Revision: 2022-04-10

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 1, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H302 - Harmful if swallowed.
- H312 - Harmful in contact with skin.
- H314 - Causes severe skin burns and eye damage.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.
- H318 - Causes serious eye damage.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

End of Safety Data Sheet